


- Notes:
1. Printing always on cold side.
 2. Tolerance of thermo and electric parameters $\pm 10\%$.
 3. Please mount heat sink before you use it. also, please do not exceed the extra voltage at any time.
 4. Please contact with us if you need Melting Point 183°C (Operation Temperature 150°C Max.) and 235°C (Operation Temperature 200°C Max.) type.

*DO NOT SCALE DRAWING


THIRD ANGLE PROJECTION



THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPR ODUCE
USED OR DISCLOSED OR IN PART TO ANYONE WITHOUT THE PERMISSION OF KJLP (SHENZHEN) ELECTRONICS
CO., LTD.

REVISIONS					
REV.	POS.	DESCRIPTION	DATE	DRW	APP
A		INITIAL CREATION	2013/09/09	Gary	Mason

Curve Chart(Be Confined To TECI-111083540):



Part Number And Feature:

T	E	C	I	-	I	I	x	x	3	5	4	0	Sealing	YES
↓	↓		↓	↓	↓	↓	↓	↓					Operation Temperature	125°C (Max.)
Thermo	Electric	Chip	Stage	N & P	Stack	Quantity	Current	A(Max.)	Dimension	(A)	Dimension	(B)	Melting Point	138°C
													Storage Temperature	-60°C ~ 100°C
													RoHS	YES

Technical Data:

ITEM	Part NO.	Stack(P & N)	A(Max.)	V(Max.)	Qc(W) /Th=27°C/ ΔT(°C)	DIM(A)	DIM(B)	DIM(H)
1	TECI-111033540	111	3	14.3	29	70°C	35	40
2	TECI-111043540	111	4	14.3	38	70°C	35	40
3	TECI-111053540	111	5	14.3	47	70°C	35	40
4	TECI-111063540	111	6	14.3	56	70°C	35	40
5	TECI-111073540	111	7	14.3	65	70°C	35	40
6	TECI-111083540	111	8	14.3	74	70°C	35	40

1. UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE MM
2 TOLERANCE ARE AS FOLLOWS:
0 < X < 2 ± 0.06
2 < X < 10 ± 0.08
10 < X < 50 ± 0.12
50 < X < 100 ± 0.16
100 < X < 200 ± 0.20
200 < X < 300 ± 0.30
ANGLES ± 0.5°

PART No.	TECI-111xx3540	DESCRIPTION	DC 14.3V(Max.), 3-8A(Max.), 111 P&N, 35*40mm		
SIGNATURE		DATE			
DRAWN BY	Gary	2013/09/09			
CHECKED BY	Justin	2013/09/09			
ENGR	Vivi	2013/09/09			
APPROVED BY	Mason	2013/09/09	CAD MODLE:	TECI-111xx3540.prt	SCALE: 1:1
ISSUED BY	Jack	2013/09/09	CAD DWG:	TECI-111xx3540.drw	REV: A
MATERIAL:			SIZE: A3 SHEET: 1 OF 1		

昆晶冷片(深圳)电子有限公司
KJLP (SHENZHEN) ELECTRONICS CO., LTD
email: kjlp@kjlp.net http:// www.kjlp.net
Tel: +86-755-82528352 Fax: +86-755-22639899