




REVISIONS					
REV.	POS.	DESCRIPTION	DATE	DRW	APP
A		INITIAL CREATION	2013/09/09	Gary	Mason



Curve Chart(Be Confined To TE01-140059539):



Part Number And Feature:

T	E	O	I	-	I	4	0	x	x	9	5	3	9	Sealing	YES
↓	↓				↓	↓	↓	↓	↓	↓	↓	↓	↓	Operation Temperature	125°C(Max.)
Thermo	Electric	Chip(O Type)	Stage	P	N & P	Stack	Quantity	Current	A(Max.)	Dimension	(A)	Dimension	(B)	Melting Point	138°C
														Storage Temperature	-60°C~100°C
														RoHS	YES

Technical Data:

ITEM	Part NO.	Stack(P&N)	A(Max.)	V(Max.)	Qc(W) /Th=27°C/ $\Delta T(^{\circ}C)$	DIM(A)	DIM(B)	DIM(H)
1	TE01-140059539	140	5 A	18.1 V	48.3W	70°C	$\phi 9.5$	$\phi 39$ RF3.2

Notes:

1. Printing always on cold side.
2. Torlerance of thermo and electric parameters  $\pm 10\%$ .
3. Please mount heat sink before you use it. also, please do not exceed the extra voltage at any time.
4. Please contact with us if you need Melting Point 183°C (Operation Temperature 150°C Max.) and 235°C (Operation Temperature 200°C Max.) type.

1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE MM 2. TOLERANCE ARE AS FOLLOWS: 0 < X < 2 ± 0.06 2 < X < 10 ± 0.08 10 < X < 50 ± 0.12 50 < X < 100 ± 0.16 100 < X < 200 ± 0.20 200 < X < 300 ± 0.30 ANGLES ± 0.5°	PART No.	TE01-140xx9539	DESCRIPTION	DC 18.1V(Max.), 5A(Max.), 140 P&N, $\phi 9.5 \times \phi 39$ mm		
	SIGNATURE		DATE	昆晶冷片(深圳)电子有限公司 KJLP (SHENZHEN) ELECTRONICS CO., LTD email: kjlp@kjlp.net http://www.kjlp.net Tel: +86-755-82528352 Fax: +86-755-22639899		
	DRAWN BY	Gary	2013/09/09			
	CHECKED BY	Justin	2013/09/09			
ENGR	Vivi	2013/09/09				
APPROVED BY	Mason	2013/09/09	CAD MODLE:	TE01-140xx9539.prt	SCALE: 1:1	REV: A
MATERIAL:	ISSUED BY	Jack	2013/09/09	CAD DWG:	TE01-140xx9539.drw	SIZE: A3 SHEET: 1 OF 1

\*DO NOT SCALE DRAWING

THIRD ANGLE PROJECTION

THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPR ODUCE  
 USED OR DISCLOSED OR IN PART TO ANYONE WITHOUT THE PERMISSION OF KJLP (SHENZHEN) ELECTRONICS  
 CO., LTD.