

Technical Data:


ITEM	Part NO.	Stack(P&N)	A(Max.)	V(Max.)	Qc(W) /Th=27°C/ ΔT(°C)	DIM(A)	DIM(B)	DIM(H)	
1	TECI-127035050	127	3 A	15.3 V	34W	70°C	50	50	RF4.6
2	TECI-127055050	127	5 A	15.3 V	45W	70°C	50	50	RF4.3
3	TECI-127065050	127	6 A	15.3 V	53W	70°C	50	50	RF4.2
4	TECI-127085050	127	8 A	15.3 V	70W	70°C	50	50	RF4.6
5	TECI-127105050	127	10 A	15.3 V	86W	70°C	50	50	RF4.2
6	TECI-127125050	127	12 A	15.3 V	103W	70°C	50	50	RF4.0
7	TECI-127145050	127	14 A	15.3 V	120W	70°C	50	50	RF3.8
8	TECI-127155050	127	15 A	15.3 V	133W	70°C	50	50	RF3.7
9	TECI-127165050	127	16 A	15.3 V	145W	70°C	50	50	RF3.6
10	TECI-127185050	127	18 A	15.3 V	160W	70°C	50	50	RF3.5
11	TECI-127205050	127	20 A	15.3 V	170W	70°C	50	50	RF3.4
12	TECI-127225050	127	22 A	15.3 V	195W	70°C	50	50	RF3.4
13	TECI-127265050	127	26 A	15.3 V	220W	70°C	50	50	RF3.2

\*DO NOT SCALE DRAWING

THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPR ODUCE  
USED OR DISCLOSED OR IN PART TO ANYONE WITHOUT THE PERMISSION OF KJLP (SHENZHEN) ELECTRONICS  
CO., LTD.

REVISIONS						
REV.	POS.	DESCRIPTION	DATE	DRW	APP	ECR#
A		INITIAL CREATION	2013/09/09	Gary	Mason	

Curve Chart(Be Confined To TECI-127265050):



Part Number And Feature:

T	E	C	I	-	1	2	x	x	5	0	5	0	Sealing	YES	
↓	↓				↓	↓	↓	↓	↓	↓	↓	↓	Operation Temperature	125°C(Max.)	
Thermo	Electric	Chip	Stage	Stack	N & P	Stack	Quantity	Current	A(Max.)	Dimension	(A)	Dimension	(B)	Melting Point	138°C
														Storage Temperature	-60°C~100°C
														RoHS	YES

Notes:

1. Printing always on cold side.
2. Torlerance of thermo and electric parameters ±10%.
3. Please mount heat sink before you use it. also, please do not exceed the extra voltage at any time.
4. Please contact with us if you need Melting Point 183°C (Operation Temperature 150°C Max.) and 235°C (Operation Temperature 200°C Max.) type.

<p>1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE MM 2 TOLERANCE ARE AS FOLLOWS: 0 &lt; X &lt; 2 ± 0.06 2 &lt; X &lt; 10 ± 0.08 10 &lt; X &lt; 50 ± 0.12 50 &lt; X &lt; 100 ± 0.16 100 &lt; X &lt; 200 ± 0.20 200 &lt; X &lt; 300 ± 0.30 ANGLES ± 0.5°</p>	PART No.	TECI-127xx5050	DESCRIPTION	DC 15.3V(Max.), 3~26A(Max.), 127 P&N, 50*50mm		
	SIGNATURE		DATE	<p>昆晶冷片 (深圳) 电子有限公司 KJLP (SHENZHEN) ELECTRONICS CO., LTD email: kjlp@kjlp.net http:// www.kjlp.net Tel: +86-755-82528352 Fax: +86-755-22639899</p>		
	DRAWN BY	Gary	2013/09/09			
	CHECKED BY	Justin	2013/09/09			
ENGR	Vivi	2013/09/09				
APPROVED BY	Mason	2013/09/09	CAD MODLE:	TECI-127xx5050.prt	SCALE: 1:1	REV: A
ISSUED BY	Jack	2013/09/09	CAD DWG:	TECI-127xx5050.drw	SIZE: A3	SHEET: 1 OF 1
MATERIAL:						